MARUTI INDUSTRIES

MAKE YOUR FRICTION LESS GROWTH

PRODUCT CATALOGUE

Industrial Wax & Petroleum Specialities

Textile wax rolls, paraffin wax (FRPW / SRPW), wax binder, microcrystalline wax, petroleum jelly and PE wax – one reliable source in Jamnagar.



Textile · Candles · Packaging · Rubber · PVC · Cosmetics

waxproduct.com
+91 72270 78484 · marutiwaxroll@gmail.com
Jamnagar, Gujarat, India

WHO WE ARE

Your partner for waxes & petroleum specialities

Maruti Industries, Jamnagar (Gujarat) manufactures textile wax rolls and supplies refinery-grade paraffin wax and allied petroleum products to manufacturers across India and export markets. We source from leading refineries – IOCL, CPCL and NRL – and deliver consistent quality with fast dispatch.




6
product families

20+
grades

IOCL · CPCL · NRL
refinery sources

GST
invoice & export

OUR PRODUCT RANGE



Textile & Auto-Corner Wax Rolls

Wax rolls for autoconer, winding & spinning machines, plus wax round & triangle bars for looms.



Paraffin Wax

Fully Refined, Semi Refined & Vegetable wax — the complete paraffin range.



Micronized Fully Refined Paraffin Wax

High-purity fully refined paraffin in fine & micronized powder form.



Microcrystalline Wax

Flexible, high-adhesion wax for polishes, rubber & sealants.



Petroleum Jelly

Smooth, consistent jelly for cosmetic & industrial use.



PE Wax (Polyethylene Wax)

Lubricant & dispersing wax for PVC, masterbatch & coatings.



Form: Triangle bar, Round bar, Cylinder roll · **Colour:** Green, Yellow, Lemon Yellow, Blue, Pink, White · **Bore:** Round or Square · **Hardness:** Medium / customisable


HSN 34049090

Textile Wax Rolls (Spinning Mill & Autoconer)

Paraffin-based yarn waxing rolls for autoconer, cone winding and spinning machines. The roll applies a thin, uniform wax film to the yarn, reducing friction, hairiness and end-breaks in knitting.

Grade	Note
WR-MI-10 Green	Coarse Crystalline · MP 59–61°C
WR-MI-20 Yellow	Very Coarse Crystalline · MP 60–62°C
WR-MI-30 Blue	Very Coarse Crystalline · MP 56–58°C
WR-MI-40 Pink	Coarse Crystalline · MP 59–61°C
WR-MI-50 Lemon Yellow	Very Coarse Crystalline · MP 60–62°C
WR-MI-300 White	Fine Crystalline · MP 75–80°C
WR-MI-112 White Blended Wax	Coarse Crystalline · MP 62–64°C
Wax Round Bar – 50 mm dia × 450 mm long	Loom / weaving wax bar · priced per piece
Wax Triangle Bar – 70 mm × 650 mm long	Loom / weaving wax bar · priced per piece

Applications: Murata, Schlafhorst, Savio autoconers · SSM, MVS & Reiter winders · Cone winding & knitting yarn · Weaving looms (wax bars)



Melting point: 56–66 °C · **Oil content:** 0.1% – 5.0% (varies by grade) · **Odour:** Odourless / negligible · **Appearance:** White solid wax

HSN 27122000

Paraffin Wax (FRPW / SRPW / Vegetable)

Fully refined and semi refined paraffin wax for candles, packaging, rubber, match, board coating and industrial use. Supplied in IOCL, CPCL and NRL refinery grades.

Grade	Note
FRPW — IOCL Rhino Wax	Fully refined, oil <0.5% (IOCL)
FRPW — CPCL Wax	Fully refined, oil <0.5% (CPCL)
FRPW — NRL Wax	Fully refined, oil <0.5% (NRL)
SRPW — Grade A (1–1.5% oil)	Semi refined, 1–1.5% oil
SRPW — Grade B (≤3% oil)	Semi refined, up to 3% oil
SRPW — Grade C (≤5% oil)	Semi refined, up to 5% oil
Vegetable Wax	Renewable, eco-friendly

Applications: Candle manufacturing · Packaging & board coating · Rubber & tyre compounding · Match industry, waterproofing, polishes



Base type: Fully refined paraffin · **Melting point:** 62–66 °C · **Oil content:** Low · **Form:** Fine powder / Micronized powder

HSN 27122000

Wax Binder – Micronized Paraffin Wax Powder

High-purity fully refined paraffin wax in fine and micronized powder form, used as wax binder and pressing lubricant in powder metallurgy and carbide tools, and as an additive in coatings and inks.

Grade	Note
Fine Powder / Micronized Powder	Fully-refined paraffin powder
Premium Grade Fine Powder / Micronized Powder	Higher purity / finer particle

Applications: Powder metallurgy & carbide tools · Powder coatings & inks · PVC & plastics · Rubber compounding



Drop melting point: ~70–90 °C (grade-wise) · **Penetration:** Grade dependent · **Colour:** White / Ivory · **Form:** Slab

HSN 27129090

Microcrystalline Wax (Micro Wax)

Fine-crystalline, flexible, high-adhesion petroleum wax that binds oil and raises the melting point of blends. Hard and soft / laminating grades.

Grade	Note
Standard (Hard)	Higher MP, firm
Soft / Laminating	Lower MP, pliable

Applications: Shoe, furniture & car polishes · Cosmetics & lip care · Rubber & tyre compounding · Adhesives, sealants & candle blends



Drop melting point: ~38–60 °C · **Penetration:** ~150–230 (0.1 mm) · **Colour:** White / Amber · **Texture:** Smooth, homogeneous

HSN 27121000

Petroleum Jelly (White & Yellow)

Smooth, homogeneous petroleum jelly – white grade for cosmetic and personal care bases, yellow grade for industrial lubrication and corrosion protection.

Grade	Note
White (Cosmetic)	Decolourised, refined
Yellow (Industrial)	Technical grade

Applications: Cosmetics & personal care · Industrial lubrication · Corrosion / rust protection · Leather & textile finishing



Softening point: ~100–115 °C · **Density:** ~0.93–0.98 g/cc · **Form:** Powder / granule · **Colour:** White

HSN 34049090

PE Wax (Polyethylene Wax)

Polyethylene wax lubricant and dispersing agent for PVC pipe and profile processing, masterbatch, inks and coatings. Standard, high-density and oxidized grades.

Grade	Note
Standard PE Wax	General lubricant
High-Density	Higher MP/hardness
Oxidized PE Wax	Polar, emulsifiable

Applications: PVC pipe & profile extrusion · Masterbatch & plastic additives · Inks & coatings · Hot-melt adhesives

INDUSTRIES WE SERVE

Trusted across industries



Textile & spinning



Candles



PVC pipes & plastics



Cosmetics



Decorative & polishes



Weaving looms

WHY MARUTI

- Genuine refinery grades with batch traceability
- Consistent quality, competitive pricing
- Technical data & safety data sheets on request
- Custom packing and private labelling

TERMS

- Prices ex-works Jamnagar, GST extra
- Payment: full advance (bank / UPI)
- Freight extra / to be confirmed
- Export enquiries welcome (USD quotes)

GET IN TOUCH

Order directly from the manufacturer

Address: 12C, Aryan Estate, Opp. Sandhiyapool, Haria College Main Road, Jamnagar, Gujarat – 361004, India

Phone / WhatsApp: +91 72270 78484 · +91 70432 11113

Email: marutiwaxroll@gmail.com · darshak@waxproduct.com

Website: waxproduct.com · **GSTIN:** 24CVFPK5041M1ZH

Scan to visit waxproduct.com